

Printing date 17.06.2015 Revision: 12.06.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: JMC JM12 Plus
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Antifreeze
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Johannes J. Matthies GmbH & Co. KG

Hammerbrookstr. 97 20097 Hamburg Tel.: 040 / 23 721-0 Fax: 040 / 23 721-390 info@matthies.de

· Further information obtainable from:

Tel.: 040 / 23 721-0 Fax: 040 / 23 721-390 info@matthies.de

· 1.4 Emergency telephone number:

Informationszentrale gegen Vergiftungen des Landes Nordrhein-Westfalen

Tel.: +49 (0) 228 / 19 240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.



Acute Tox. 4 H302 Harmful if swallowed.

- · 2.2 Label elements
- \cdot Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

 $\cdot \ Hazard \ pictograms$





GHS07

07 GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

ethanediol

sodium 2-ethylhexanoate

(Contd. on page 2)

Revision: 12.06.2015 Printing date 17.06.2015

Trade name: JMC JM12 Plus

(Contd. of page 1)

· Hazard statements

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Precautionary statements

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe mist/vapours/spray.

P270 Do not eat, drink or smoke when using this product.

Wash thoroughly after handling. P264

P308+P313 IF exposed or concerned: Get medical advice/attention.

Store locked up. P405

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture: consisting of the following components.

· Dangerous compon	ents:	
	* *	80 - 98%
EINECS: 203-473-3		
	sodium 2-ethylhexanoate	3 - <5%
	♦ Repr. 2, H361d	

Additional information:

For the wording of the listed risk phrases refer to section 16.

sodium 2-ethylhexanoate CAS-No.: 19766-89-3 EG-No.: 243-283-8

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

A person vomiting while laying on their back should be turned onto their side.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Printing date 17.06.2015 Revision: 12.06.2015

Trade name: JMC JM12 Plus

(Contd. of page 2)

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Keep contaminated washing water and dispose of appropriately.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose of the material collected according to regulations.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store under lock and key and out of the reach of children.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethanediol

WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm

Sk *particulate **vapour

(Contd. on page 4)

Printing date 17.06.2015 Revision: 12.06.2015

Trade name: JMC JM12 Plus

(Contd. of page 3)

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

PVC gloves

Nitrile rubber, NBR

Neoprene gloves

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and ch	emical properties
· 9.1 Information on basic physical a	and chemical properties
· General Information	
· Appearance:	
Form:	Fluid
Colour:	Violet Mild
· Odour: · Odour threshold:	Not determined.
· Odour threshold:	Not determined.
· pH-value at 20 °C:	8.5 - 8.7
· Change in condition	
Melting point/Melting range:	-18 °C
Boiling point/Boiling range:	180 °C
· Flash point:	122 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	410 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.1 g/cm ³
· Relative density at 15.6 °C	1.11
· Vapour density	2.1

(Contd. on page 5)

Printing date 17.06.2015 Revision: 12.06.2015

Trade name: JMC JM12 Plus

(Contd. of page 4)

• Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

VOC (EC) 0.00 %

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Explosive reaction with oxidising agents such as calcium chlorate and or peroxides.

Reacts with strong acids and oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Aldehyde

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

٠	LD/LC50	values	relevant	for	classification:
---	---------	--------	----------	-----	-----------------

Oral LD50 1720 mg/kg

107-21-1	ethanediol
11//-41-1	CHIANCUIO

Oral LD50 5840 mg/kg (rat)
Dermal LD50 9530 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Repr. 2

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

Printing date 17.06.2015 Revision: 12.06.2015

Trade name: JMC JM12 Plus

(Contd. of page 5)

- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 01 14* antifreeze fluids containing dangerous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	-	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

Printing date 17.06.2015 Revision: 12.06.2015

Trade name: JMC JM12 Plus

(Contd. of page 6)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Department issuing MSDS: Product safety department

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

GB