

1. Identification of the substance/preparation and company**Trade name**

Sonax Car Polish

Articlenumber 300100/-200/300505.04/300241-052

Usage

Car Care

Company

Sonax GmbH

Münchener Straße 75

D-86633 Neuburg/Donau

Tel. (0049) 8431/53-0

Fax. (0049) 8431/53390

E-Mail: ERP@sonax.de

Information provided by: Phone (00 49)84 31/53-2 17

Emergency telephone number: 0049 84 31 53-0 (Only during business hours)

2. Hazards identification

No particular hazards known.

3. Composition/information on ingredients**Chemical characterization****Specification**

Emulsion of wax, abrasive, solvent, silicone and water.

Hazardous ingredients

CAS no. EINECS no. concentration haz.sym. R phrases

Hazardous substance name

90622-57-4 292-459-0

15-20 % Xn

R65, R66, R53

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

Japan:

The product contains no substances, listed in Class I and II

Designated Chemical Substances.

(Law concerning Reporting, etc.of Releases to the Environment)

4. First aid measures

First aid measures / general information

Remove contaminated clothing.

First aid measures / inhalation

No special measures required

First aid measures / skin contact

In case of contact with skin wash off with water.

First aid measures / eye contact

In case of contact with eyes rinse thoroughly with water

First aid measures / ingestion

Do not induce vomiting.

Refer for medical treatment.

5. Fire-fighting measures

Product itself is non-combustible; Fire extinguishing method of surrounding areas must be discussed.

6. Accidental release measures

environmental precautions

Do not discharge into surface waters/groundwater.

Do not discharge into the subsoil/soil.

methods for cleaning up/taking up

Take up with absorbent material (e.g. general-purpose binder).

7. Handling and storage

Handling**Advice on safe handling**

No special measures necessary if used correctly.

Advice on protection against fire and explosion

Keep away from sources of ignition

Storage**Requirements for storage rooms and vessels**

Prevent penetration into the ground.

Advice on storage compatibility

Do not store together with food.

Further information on storage conditions

Protect from frost.

Recommended storage temperature: 20 °C.

8. Exposure controls/personal protection

Ingredients with occupational exposure limits to be monitored:

CAS no.	EINECS no.	limit value
Hazardous substance name		

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics		
90622-57-4	292-459-0	Indicative occupation 600 mg/m ³ , Spb.-Üf.: 2(II), TRGS 900

Personal protective equipment
not necessary

Wash hands before breaks and after work.

9. Physical and chemical properties**Appearance**

Form : Liquid

Colour : pink

Odour : characteristic

Data relevant to safety

Boiling range 100-195 °C

Flash point: Not applicably!

Density at: 20°C 0,98-0,99 g/ml

Solubility in water:
at 20°C ca. 90 %PH value: 10 g/l H²O(20°) ---Outflow time with 20°C 30-45 sec
Method : DIN EN ISO 2431/4mm**Further Information****10. Stability and reactivity****Hazardous reactions**

No hazardous reactions known.

Hazardous decomposition products

No hazardous decomposition products known.

11. Toxicological information

No toxicological data are available.

12. Ecological information

Ecological data are not available
Do not discharge product unmonitored into the environment.

13. Advice on disposal

Disposal / product
In accordance with regulations for special waste, must be taken to an authorised special waste disposal site or incineration plant.

Code

20 01 13

Disposal / contaminated packaging
15 01 02

14. Transport information

Not classified as hazardous goods in accordance with GGVS/GGVE, RID/ADR, ADN, IMDG, IATA-DGR

15. Regulatory information

Labelling
The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.

Hazard symbols

R phrases

S phrases
S2
Keep out of the reach of children.

Water hazard class / source
(german only)

Other regulations, restrictions and prohibition regulations

16. Other information

List of R-Phrases/wording of the ingredients classified under point 3
R53 May cause long-term adverse effects in the aquatic environment
R65 Harmful: may cause lung damage if swallowed
R66 Repeated exposure may cause skin dryness or cracking

All data are based on our current knowledge and information.
They are intended to describe our products with regard to safety requirements and thus do not purport to warrant any specific qualities.