

Printing date 11.08.2021 Version number 2 Revision: 11.08.2021

SECTION 1: Bezeichnung des Stoffs beziehungsweise des Gemischs und des Unternehmens

· 1.1 Product identifier

· Trade name: JMC JM13

· UFI: HSCG-38K7-0G0R-8V1H

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Antifreeze
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Johannes J. Matthies GmbH & Co. KG

Hammerbrookstr. 97 20097 Hamburg Tel.: 040 / 23 721-0 Fax: 040 / 23 721-390 info@matthies.de

· Further information obtainable from:

Tel.: 040 / 23 721-0 Fax: 040 / 23 721-390 info@matthies.de

· 1.4 Emergency telephone number: Giftnotrufzentrale (Berlin) Deutschland +49 (0) 30 19240

## **SECTION 2: Mögliche Gefahren**

- $\cdot$  2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 2 H361d Suspected of damaging the unborn child.

- · 2.2 Label elements
- $\cdot$  Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

sodium 2-ethylhexanoate

· Hazard statements

H361d Suspected of damaging the unborn child.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Printing date 11.08.2021 Version number 2 Revision: 11.08.2021

Trade name: JMC JM13

	(Contd. of page 1)
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P3	13 IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.2 Otho	r bazards

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## SECTION 3: Zusammensetzung/Angaben zu Bestandteilen

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture: consisting of the following components.

· Dangerous	components:	
	ethanediol	34-<80%
	♠ Acute Tox. 4, H302	
	glycerol	10-30%
	substance with a Community workplace exposure limit	
	sodium 2-ethylhexanoate	3-<5%
	🕸 Repr. 2, H361d	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: Erste-Hilfe-Maßnahmen

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

A person vomiting while laying on their back should be turned onto their side.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## SECTION 5: Maßnahmen zur Brandbekämpfung

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Printing date 11.08.2021 Version number 2 Revision: 11.08.2021

**Trade name: JMC JM13** 

(Contd. of page 2)

#### · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

- · 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Maßnahmen bei unbeabsichtigter Freisetzung

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

#### · 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Keep contaminated washing water and dispose of appropriately.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

# • 6.3 Methods and material for containment and cleaning up:

Dispose of the material collected according to regulations.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handhabung und Lagerung**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

## $\cdot$ Information about fire - and explosion protection:

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

- $\cdot$  7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- $\cdot \ Further \ information \ about \ storage \ conditions:$

Store under lock and key and out of the reach of children.

· 7.3 Specific end use(s) No further relevant information available.

DE ·

(Contd. on page 4)

Printing date 11.08.2021 Version number 2 Revision: 11.08.2021

**Trade name: JMC JM13** 

(Contd. of page 3)

# SECTION 8: Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with	limit values that require monitoring at the workplace:
107-21-1 ethaned	liol
AGW (Germany)	Long-term value: 26 mg/m³, 10 ppm
	2(I);DFG, EU, H, Y, 11
56-81-5 glycerol	
AGW (Germany)	Long-term value: 200 E mg/m³
	2 (I);DFG, Y

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

PVC gloves

Nitrile rubber, NBR

Neoprene gloves

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

## **SECTION 9: Physikalische und chemische Eigenschaften**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Red
Odour: Mild

(Contd. on page 5)

Printing date 11.08.2021 Version number 2 Revision: 11.08.2021

Trade name: JMC JM13

	(Contd. of page
Odour threshold:	Not determined.
pH-value:	8,35
Change in condition	
Melting point/freezing point:	-18 °C
Initial boiling point and boiling range	:: 180 °C
Flash point:	122 °C
Flammability (solid, gas):	Not applicable.
<b>Decomposition temperature:</b>	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 15 °C:	1,1 g/cm³
Relative density at 20 °C	1,1 kg/l
Vapour density	>1
<b>Evaporation rate</b>	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	0,00 %
9.2 Other information	No further relevant information available.

# SECTION 10: Stabilität und Reaktivität

- $\cdot$  10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Explosive reaction with oxidising agents such as calcium chlorate and or peroxides. Reacts with strong acids and oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Aldehyde

DE

Printing date 11.08.2021 Version number 2 Revision: 11.08.2021

**Trade name: JMC JM13** 

(Contd. of page 5)

## **SECTION 11: Toxikologische Angaben**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC	50 valu	es relevant for classification:
Oral	LD50	2201 mg/kg
107-21	-1 ethai	nedial

10, 11					
Oral	LD50	5840 n	ng/kg	(ra	ıt)

Dermal LD50 9530 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging the unborn child.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Umweltbezogene Angaben**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Hinweise zur Entsorgung**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 11.08.2021 Version number 2 Revision: 11.08.2021

**Trade name: JMC JM13** 

(Contd. of page 6)

· European waste catalogue

16 01 14\* antifreeze fluids containing hazardous substances

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
· Class	Void	
14.4 Packing group		
· ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to An	nex II	
of Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

# **SECTION 15: Rechtsvorschriften**

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)

Printing date 11.08.2021 Version number 2 Revision: 11.08.2021

Trade name: JMC JM13

(Contd. of page 7)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Sonstige Angaben**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

· Department issuing SDS: Product safety department

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Repr. 2: Reproductive toxicity – Category 2

\* \* Data compared to the previous version altered.

DE