Telefax: +49 (0) 4023721 390

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Bremsenreiniger A1 750ml JMC NEU

Further trade names

5540019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Johannes J. Matthies GmbH & Co. KG

Street: Hammerbrookstrasse 97
Place: D-20097 Hamburg
Telephone: +49 (0) 40 237210

e-mail: info@matthies.de Internet: www.matthies.de

1.4. Emergency telephone 111 NHS (National Health Service)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: F+ - Extremely flammable, Xi - Irritant, N - Dangerous for the environment

R phrases:

Extremely flammable. Irritating to skin.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vapours may cause drowsiness and dizziness.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Aerosol: Aerosol 1

Aspiration hazard: Asp. Tox. 1 Skin corrosion/irritation: Skin Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard components for labelling

Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane

Signal word: Danger

Pictograms: GHS02-GHS07-GHS09

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 2 of 11







Hazard statements

| H222 E | Extremely flammable aerosol. |
|--------|------------------------------|
|--------|------------------------------|

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P260 Do not breathe Aerosol.

P273 Avoid release to the environment.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container according to the official regulations.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| EC No | Chemical name | Quantity |
|------------------|---|---------------|
| CAS No | Classification according to Directive 67/548/EEC | |
| Index No | GHS Classification | |
| REACH No | | |
| 921-024-6 | Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane | 50 - <= 100 % |
| 92128-66-0 | F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-38-51-53-65-67 | |
| | Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411 | |
| 01-2119475514-35 | | |
| 204-696-9 | carbon dioxide | 3 - < 5 % |
| 124-38-9 | | |
| | | |

Full text of R, H and EUH phrases: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

SECTION 4: First aid measures

4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 3 of 11

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatique, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Danger of bursting container.

SECTION 6: Accidental release measures

$\underline{\textbf{6.1. Personal precautions, protective equipment and emergency procedures}}$

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 4 of 11

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Protect from frost. Protect against direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|------------------|-------|-------|-----------|---------------|--------|
| 124-38- | 9 Carbon dioxide | 5000 | 9150 | | TWA (8 h) | WEL |
| | | 15000 | 27400 | | STEL (15 min) | WEL |

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long term exposure: after several previous shifts

d before next shift

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 5 of 11

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eve protection: Tightly sealed safety glasses.

DIN EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min

Thickness of the glove material 0,45 mm

DIN EN 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: colourless
Odour: solvent like

Test method

pH-Value (at 20 °C): not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

88 °C

Sublimation point:

Softening point:

No information available.

No information available.

Flash point: -12 °C

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: 0,6 vol. %
Upper explosion limits: 7,2 vol. %
Ignition temperature: > 200 °C

Auto-ignition temperature

Solid: not applicable

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 6 of 11

Gas: not applicable Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined Vapour pressure: No information available.

Density (at 20 °C): 0,714 g/cm³ DIN 51757

Water solubility:

The study does not need to be conducted because the substance is known to be

insoluble in water.

not determined

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: No information available.

Viscosity / kinematic: < 7 mm²/s

Flow time: No information available.

Vapour density: not determined

Solvent separation test:

Solvent content:

No information available.

No information available.

9.2. Other information

Evaporation rate:

Solid content: not determined

density: Data apply to technical substance.

pressure: 5 bar (20°C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 7 of 11

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Acute toxicity

| CAS No | Chemical name | | | | |
|------------|--|--------------------|-------------|---------|---------------------|
| | Exposure route | Method | Dose | Species | Source |
| 92128-66-0 | Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | |
| | dermal | LD50 3100 mg/kg | > 2800 - | Rat | Study report (1977) |
| | inhalation (4 h) vapour | LC50 | > 25,2 mg/l | Rat | Study report (1988) |

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane)

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 8 of 11

| CAS No | Chemical name | | | | | |
|------------|--|--------|--------------|-----------|---------------------------------|---|
| | Aquatic toxicity | Method | Dose | [h] [d] | Species | Source |
| 92128-66-0 | Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane | | | | | |
| | Acute fish toxicity | LC50 | > 1-10 mg/l | 96 h | Pimephales promelas | |
| | Acute algae toxicity | ErC50 | 10 - 30 mg/l | | Pseudokirchneriella subcapitata | Study report (1995) |
| | Acute crustacea toxicity | EC50 | > 1-10 mg/l | 48 h | Daphnia magna | |
| | Fish toxicity | NOEC | 2,045 mg/l | 28 d | Oncorhynchus mykiss | CONCAWE, Brussels, Belgium (2010) |
| | Crustacea toxicity | NOEC | 1 mg/l | 21 d | Daphnia magna | SIDS Initial Assessment Report For SIAM |

12.2. Persistence and degradability

The product has not been tested. Easily biodegradable (concerning to the criteria of the OECD). Fast photochemical oxidation in the air.

| CAS No | Chemical name | | | | |
|------------|--|-----|----|--|--|
| | Method Value d Source | | | | |
| | Evaluation | | | | |
| 92128-66-0 | Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane | | | | |
| | OECD Guideline 301 F | 98% | 28 | | |
| | Easily biodegradable (concerning to the criteria of the OECD) | | | | |

12.3. Bioaccumulative potential

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment cannot be ruled out.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|--|-----------|
| 92128-66-0 | Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane | 3,4 - 5,2 |

12.4. Mobility in soil

Floats on the water surface. Is adsorbed by soil, slight mobility.

12.5. Results of PBT and vPvB assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances;

hazardous waste

Waste disposal number of used product

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 9 of 11

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; gases in pressure containers (including halons) containing hazardous substances;

hazardous waste

Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal

packaging waste); metallic packaging

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es): 2

14.4. Packing group:-Hazard label:2.1Classification code:5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number: UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es): 2
14.4. Packing group:

Hazard label: 2.1 Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L

Marine transport (IMDG)

14.1. UN number: UN 1950

14.2. UN proper shipping name: AEROSOLS (Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5%

n-hexane)

14.3. Transport hazard class(es): 2.1

14.4. Packing group:-Hazard label:2.1Marine pollutant:yes

Special Provisions: 63, 190, 277, 327, 344, 959

 $\begin{array}{ll} \mbox{Limited quantity:} & \mbox{1000 mL} \\ \mbox{EmS:} & \mbox{F-D, S-U} \end{array}$

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1

Special Provisions: A145 A167 A802

according to Regulation (EC) No 1907/2006

| | Bremsenreiniger A1 750ml JMC NEU | |
|-----------------------------|----------------------------------|---------------|
| Print date: 03.07.2019 | Product code: 1100894 | Page 10 of 11 |
| Limited quantity Passenger: | 30 kg G | |

IATA-packing instructions - Passenger: 203 IATA-max. quantity - Passenger: 75 kg IATA-packing instructions - Cargo: 203 IATA-max. quantity - Cargo: 150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Danger releasing substance: Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane

14.6. Special precautions for user

Warning: Flammable gases.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): No information available.

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Aerosol directive (75/324/EEC)

National regulatory information

Observe restrictions to employment for juvenils according to the 'juvenile **Employment restrictions:**

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

Additional information

94/69/EC (21st ATP). The benzene content of the product is less than 0.1%. It applies the annotation P.

Classification and labeling as carcinogenic is not necessary.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,14,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

according to Regulation (EC) No 1907/2006

Bremsenreiniger A1 750ml JMC NEU

Print date: 03.07.2019 Product code: 1100894 Page 11 of 11

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

Relevant R phrases (number and full text)

| 11 | Highly flammable. |
|----|--------------------------|
| 12 | Extremely flammable. |
| 38 | Irritating to skin. |
| E1 | Toyio to aquatia argania |

Toxic to aquatic organisms.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.
Vapours may cause drowsiness and dizziness.

Relevant H and EUH statements (number and full text)

| H222 | Extremely flammable aerosol. |
|--------------|---|
| H225 | Highly flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H304 | May be fatal if swallowed and enters airways. |
| ⊔ 215 | Causes skin irritation |

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: Calculation method.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)