

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

JMC Bremsenreiniger A1 20 I

#### Further trade names

JMC Bremsenreiniger A1 60I (JM-Nr. 554 05 05)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cleaning agent

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Johannes J. Matthies GmbH & Co. KG  
Street: Hammerbrookstr. 97  
Place: D-20097 Hamburg  
Telephone: + 49 (0) 40 2 37 21-0  
e-mail: info@matthies.de  
Internet: www.matthies.de

#### Supplier

Company name: Larsson UK Ltd.  
Street: 7 Alpha Court, Phoenix Parkway  
Place: GB-NN17 5DP Corby  
Telephone: + 44 1536 265633  
e-mail: info@larsson.uk.com  
Internet: www.larsson.uk.com

### 1.4. Emergency telephone number:

+ 44 1536 265633

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Aspiration hazard: Asp. Tox. 1

Skin corrosion/irritation: Skin Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Highly flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, &lt; 5% n-hexane

**Signal word:** Danger

# Safety Data Sheet

according to Regulation (EC) No 1907/2006


## JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 2 of 10

### Pictograms:



### Hazard statements

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

### Precautionary statements

P271	Use only outdoors or in a well-ventilated area.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P243	Take action to prevent static discharges.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P304+P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

### 2.3. Other hazards

This substance meets the PBT criteria of REACH, Annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
92128-66-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane			50 - <= 100 %
	921-024-6		01-2119475514-35-	
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411			

Full text of H and EUH statements: see section 16.

#### Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Self-protection of the first aider. Remove victim out of the danger area. Never give anything by mouth to an unconscious person or a person with cramps.

#### After inhalation

Remove person to fresh air and keep comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. When in doubt or if symptoms are observed, get medical advice.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 3 of 10

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Immediately call a doctor.

### **4.2. Most important symptoms and effects, both acute and delayed**

Headache, Dizziness, Unconsciousness, Skin irritation.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Symptoms can occur only after several hours.

## SECTION 5: Firefighting measures

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Water spray jet. Foam. Dry extinguishing powder. Carbon dioxide (CO<sub>2</sub>).

#### **Unsuitable extinguishing media**

High power water jet.

### **5.2. Special hazards arising from the substance or mixture**

Gases of varying toxicity can be created through incomplete combustion and thermolysis. In the case of hydrocarbonic products (e.g. CO, CO<sub>2</sub>, aldehydes and soot). These can be extremely hazardous if inhaled in high concentrations or enclosed spaces.

### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing (Full protection suit) Cool container at risk with water spray jet. Pressure build-up in enclosed containers. Risk of bursting. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment (refer to section 8).

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Observe instructions for use. Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. When using do not eat, drink, smoke, sniff. Wear personal protection equipment (refer to section 8).

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

#### **Further information on handling**

Avoid contact with eyes and skin.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 4 of 10

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Store in a cool dry place.

#### Hints on joint storage

Do not store together with: Oxidising agent, Pyrophoric or self-heating substances

#### Further information on storage conditions

Keep away from heat. Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

CAS No	Substance			
DNEL type	Exposure route	Effect	Value	
92128-66-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane			
Worker DNEL, long-term	inhalation	systemic	2035 mg/m <sup>3</sup>	
Worker DNEL, long-term	dermal	systemic	773 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	608 mg/m <sup>3</sup>	
Consumer DNEL, long-term	dermal	systemic	699 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	699 mg/kg bw/day	

### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

#### Protective and hygiene measures

Take off immediately all contaminated clothing. Do not breathe gas/fumes/vapour/spray. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Wash hands before breaks and after work.

#### Eye/face protection

Wear eye/face protection. DIN EN 166

#### Hand protection

Wear suitable gloves. (EN ISO 374)

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,45 mm

Permeation time (maximum wear time): 480 min

Observe the wear time limits as specified by the manufacturer. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Replace when worn.

#### Skin protection

Wear anti-static footwear and clothing Flame-retardant protective clothing

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Suitable respiratory protection apparatus: gas filtering equipment (EN 141). Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**JMC Bremsenreiniger A1 20 I**

Print date: 13.10.2021

Product code: 5540513

Page 5 of 10

**Environmental exposure controls**

Avoid release to the environment.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	characteristic

**Test method**

pH-Value:	not applicable
-----------	----------------

**Changes in the physical state**

Melting point:	not determined
----------------	----------------

Boiling point or initial boiling point and boiling range:	84 °C
---	-------

Flash point:	- 12 °C ISO 3679
--------------	------------------

**Flammability**

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

**Explosive properties**

Vapours can form explosive mixtures with air.

Lower explosion limits:	0,6 vol. %
-------------------------	------------

Upper explosion limits:	7,0 vol. %
-------------------------	------------

Auto-ignition temperature:	not determined
----------------------------	----------------

**Self-ignition temperature**

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Decomposition temperature:	not determined
----------------------------	----------------

**Oxidizing properties**

Not oxidising.

Vapour pressure: (at 20 °C)	not determined
--------------------------------	----------------

Density (at 20 °C):	0,714 g/cm <sup>3</sup> DIN 51757
---------------------	-----------------------------------

Water solubility:	Immiscible
-------------------	------------

**Solubility in other solvents**

not determined

Partition coefficient n-octanol/water:	not determined
--	----------------

Viscosity / dynamic:	not determined
----------------------	----------------

Viscosity / kinematic: (at 40 °C)	< 7 mm <sup>2</sup> /s DIN EN ISO 3104
--------------------------------------	--

Relative vapour density:	not determined
--------------------------	----------------

Evaporation rate:	not determined
-------------------	----------------

**9.2. Other information**

Odour threshold: No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Highly flammable

**10.2. Chemical stability**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 6 of 10

The product is stable under storage at normal ambient temperatures.

### **10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

### **10.4. Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges.

### **10.5. Incompatible materials**

Oxidizing agent, Pyrophoric or self-heating substances

### **10.6. Hazardous decomposition products**

Gases of varying toxicity can be created through incomplete combustion and thermolysis. In the case of hydrocarbonic products (e.g. CO, CO<sub>2</sub>, aldehydes and soot). These can be extremely hazardous if inhaled in high concentrations or enclosed spaces.

### **Further information**

Do not mix with other chemicals.

## SECTION 11: Toxicological information

### **11.1. Information on toxicological effects**

#### **Toxicokinetics, metabolism and distribution**

The product has not been tested.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
92128-66-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane			
	oral	LD50 > 5000 mg/kg	Rat	Manufacturer
	dermal	LD50 > 2800-3100 mg/kg	Rat	Manufacturer
	inhalation (4 h) vapour	LC50 > 25,2 mg/l	Rat	Manufacturer

#### **Irritation and corrosivity**

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane)

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### **12.1. Toxicity**

Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 7 of 10

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d]	Species	Source
92128-66-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane				
	Acute fish toxicity	LC50 > 1 - 10 mg/l	96 h	Pimephales promelas (fathead minnow)	Manufacturer
	Acute algae toxicity	ErC50 10 - 30 mg/l	72 h	Pseudokirchneriella subcapitata	Manufacturer
	Acute crustacea toxicity	EC50 > 1 - 10 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer
	Fish toxicity	NOEC 2,045 mg/l	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer
	Crustacea toxicity	NOEC 1 mg/l	21 d	Daphnia magna (Big water flea)	Manufacturer

**12.2. Persistence and degradability**

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
92128-66-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane			
	OECD 301F	98 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).			

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
92128-66-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane	3,4 - 5,2

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

This substance meets the PBT criteria of REACH, Annex XIII.

**12.6. Other adverse effects**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

**List of Wastes Code - used product**

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 8 of 10

**Contaminated packaging**

Water (with cleaning agent) Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number:** UN 1268  
**14.2. UN proper shipping name:** ERDÖLDESTILLATE, N.A.G.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Classification code: F1  
Special Provisions: 640D ADR664  
Limited quantity: 1 L  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 33  
Tunnel restriction code: D/E

**Inland waterways transport (ADN)**

**14.1. UN number:** UN 1268  
**14.2. UN proper shipping name:** ERDÖLDESTILLATE, N.A.G.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Classification code: F1  
Special Provisions: 363 640D  
Limited quantity: 1 L  
Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number:** UN 1268  
**14.2. UN proper shipping name:** PETROLEUM DISTILLATES, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Special Provisions: -  
Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-E, S-E

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 1268  
**14.2. UN proper shipping name:** PETROLEUM DISTILLATES, N.O.S.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 9 of 10

**14.3. Transport hazard class(es):** 3**14.4. Packing group:** II

Hazard label: 3



Special Provisions: A3 A324

Limited quantity Passenger: 1 L

Passenger LQ: Y341

Excepted quantity: E2

IATA-packing instructions - Passenger: 353

IATA-max. quantity - Passenger: 5 L

IATA-packing instructions - Cargo: 364

IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, &lt; 5% n-hexane

**14.6. Special precautions for user**

Warning. flammable liquids

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 100 % (714 g/l)

Information according to 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Additional information: P5c

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route ( European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Bremsenreiniger A1 20 I

Print date: 13.10.2021

Product code: 5540513

Page 10 of 10

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.