

Johannes J. Matthies GmbH & Co. KG

according to Regulation (EC) No 1907/2006

# JMC Hydrauliköl HLP 46 Extra 601

Print date: 10.07.2020

Product code: 5580088

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

JMC Hydrauliköl HLP 46 Extra 601

### Further trade names

JMC Hydrauliköl HLP 46 Extra 1I (JM-Nr. 558 00 85) JMC Hydrauliköl HLP 46 Extra 5I (JM-Nr. 558 00 86) JMC Hydrauliköl HLP 46 Extra 20I (JM-Nr. 558 00 87)

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Hydraulic fluids

# 1.3. Details of the supplier of the safety data sheet

### Manufacturer

Company name: Street: Place:	Johannes J. Matthies GmbH & Co. KG Hammerbrookstr. 97 D-20097 Hamburg		
Telephone:	+ 49 (0) 40 2 37 21-0		
e-mail:	info@matthies.de		
Internet:	www.matthies.de		
Supplier			
Company name:	Larsson UK Ltd.		
Street:	7 Alpha Court, Phoenix Parkway		
Place:	GB-NN17 5DP Corby		
Telephone:	+ 44 1536 265633		
e-mail:	info@larsson.uk.com		
Internet:	www.larsson.uk.com		
1.4. Emergency telephone	+ 44 1536 265633		
number:			

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

# 2.2. Label elements

## Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Chemical characterization**

Hazardous ingredients: none

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

# JMC Hydrauliköl HLP 46 Extra 601

Print date: 10.07.2020

# Product code: 5580088

Page 2 of 7

### **General information**

Self-protection of the first aider

Immediately remove any contaminated clothing, shoes or stockings. Do not put any product-impregnated cleaning rags into your trouser pockets.

### After inhalation

Provide fresh air. In case of inhalation of aerosols/spray/spray droplets: Consult a physician. Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Observe risk of aspiration if vomiting occurs.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. Foam.

### Unsuitable extinguishing media

Strong water jet

# 5.2. Special hazards arising from the substance or mixture

Non-flammable. Particular hazard due to substance itself, its combustion products or resulting gases: Carbon dioxide (CO2). Carbon monoxide. Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H2S).

### 5.3. Advice for firefighters

carbon black In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation. Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product. Wear suitable protective clothing. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7

according to Regulation (EC) No 1907/2006

# JMC Hydrauliköl HLP 46 Extra 601

Product code: 5580088

Page 3 of 7

Personal protection equipment: see section 8 Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Print date: 10.07.2020

Apply skin protection cream for preventive skin protection. Wash hands before breaks and after work. Conditions to avoid: aerosol or mist formation

# Advice on protection against fire and explosion

No special fire protection measures are necessary. When using do not smoke. Fire class: B (DIN-/EN-Norms: EN2)

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep away from heat. Keep/Store only in original container.

# Hints on joint storage

Do not store together with: Food and feedingstuffs, Oxidizing agent

### Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater.

### 7.3. Specific end use(s)

Hydraulic fluids

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

# Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Apply skin protection cream for preventive skin protection. Keep away from food, drink and animal feedingstuffs. Do not breathe vapour.

#### Eye/face protection

In fine dispersion/spraying/misting: Wear eye protection/face protection.

### Hand protection

Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

In fine dispersion/spraying/misting: Wear protective gloves and protective clothing.

# **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

according to Regulation (EC) No 1907/2006

# JMC Hydrauliköl HLP 46 Extra 601

Print date: 10.07.2020

Product code: 5580088

Page 4 of 7

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

-	al state:	Liquid		
Colour: Odour:		yellow brown characteristic		
Oubur.		Characteristic		Test method
pH-Val	ue:		not applicable	
-	es in the physical state			
Melting			not determined	
Initial b	oiling point and boiling range:		not determined	
Pour p	pint:		~-30 °C	DIN ISO 3016
Flash p	point:		>230 °C	DIN ISO 2592
Flamm	ability			
Sol	id:		not applicable	
Ga	S:		not applicable	
-	ive properties e product is not explosive.			
Lower	explosion limits:		not determined	
Upper	explosion limits:		not determined	
Ignition	temperature:		not determined	
	gnition temperature			
Sol			not applicable	
Ga			not applicable	
	position temperature:		not determined	
	i <b>ng properties</b> t oxidising.			
Vapour (at 20	°C)		> 0,1 hPa	calculated.
Densit	y (at 15 °C):		~ 0,87 g/cm³	DIN 51757
Water s (at 20	solubility: °C)		practically insoluble	
	l <b>ity in other solvents</b> uble in hydrocarbons. (Mineral oi	il)		
Partitio	n coefficient:		not determined	
Viscosi	ty / dynamic:		not determined	
Viscosi (at 40	ty / kinematic: °C)		~46 mm²/s	DIN 51562
Vapour	density:		not determined	
Evapor	ation rate:		not determined	
9.2. Other information				
Odour	threshold: not determined			

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

No thermal decomposition if stored/handled/transported properly.

according to Regulation (EC) No 1907/2006

# JMC Hydrauliköl HLP 46 Extra 601

Print date: 10.07.2020

Product code: 5580088

Page 5 of 7

## 10.3. Possibility of hazardous reactions

Reactions possible with oxidising agents.

## 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

Oxidising agent, strong

### 10.6. Hazardous decomposition products

none

# Further information

No thermal decomposition if stored/handled/transported properly.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met. Irritation to respiratory tract Do not breathe gas/vapour.

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met. It can be assumed that the finished product is not skin sensitising, due to the very low content of sensitising substances.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met. Frequently or prolonged contact with skin may cause dermal irritation.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## Practical experience

### Other observations

Has degreasing effect on the skin.

### Further information

No special hazards caused by the product are known if it is used as intended and instructions given on precautionary measures are observed.

### **SECTION 12: Ecological information**

# 12.1. Toxicity

The product is not: Ecotoxic.

# 12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water. Not readily biodegradable (according to OECD criteria). Product is partially biodegradable. Significant residues remain.

Waste oils should not be discharged into the sewage system or bodies of water, nor should they be allowed to seep into soil.

### 12.3. Bioaccumulative potential

The product has not been tested. Do not allow uncontrolled discharge of product into the environment.

### 12.4. Mobility in soil

The product has not been tested.

according to Regulation (EC) No 1907/2006

# JMC Hydrauliköl HLP 46 Extra 601

Print date: 10.07.2020

# Product code: 5580088

Page 6 of 7

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The specified waste codes are recommended due to the intended use of the product. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

### List of Wastes Code - residues/unused products

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

### List of Wastes Code - contaminated packaging

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

#### Contaminated packaging

Dispose of this material and its container to hazardous or special waste collection point. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

#### 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no

according to Regulation (EC) No 1907/2006

# JMC Hydrauliköl HLP 46 Extra 601

Print date: 10.07.2020

Product code: 5580088

Page 7 of 7

# 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

# Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

# National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)