

Johannes J. Matthies GmbH & Co. KG

according to Regulation (EC) No 1907/2006

# JMC Motorenöl Extra 15W40 20I

Print date: 30.06.2020

Product code: 5583010

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

JMC Motorenöl Extra 15W40 20I

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Engine oil

# 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

manalaotaro	
Company name:	Johannes J. Matthies GmbH & Co. KG
Street:	Hammerbrookstr. 97
Place:	D-20097 Hamburg
Telephone:	+ 49 (0) 40 2 37 21-0
e-mail:	info@matthies.de
Internet:	www.matthies.de
Supplier	
Company name:	Larsson UK Ltd.
Street:	7 Alpha Court, Phoenix Parkway
Place:	GB-NN17 5DP Corby
Telephone:	+ 44 1536 265633
e-mail:	info@larsson.uk.com
Internet:	www.larsson.uk.com
1.4. Emergency telephone	+ 44 1536 265633

#### number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1B Hazard Statements: Causes serious eye irritation. May cause an allergic skin reaction.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

Hazard components for labelling

Benzolsulfonsäure, methyl-mono-C20-26-verzweigte Alkylderivate, Calciumsalze Calciumalkarylsulfonat, langkettiges

Signal word:

### **Pictograms:**



Warning

#### **Hazard statements**

H317 H319 May cause an allergic skin reaction. Causes serious eye irritation.

according to Regulation (EC) No 1907/2006

# JMC Motorenöl Extra 15W40 20I

Print date: 30.06.2020

Product code: 5583010

Page 2 of 8

### **Precautionary statements**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of waste according to applicable legislation.

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification	•	•	
722503-69-7	9-7 Benzolsulfonsäure, methyl-mono-C20-26-verzweigte Alkylderivate, Calciumsalze		iumsalze	1 - < 2,5 %
	682-812-0			
	Skin Sens. 1B; H317			
68784-31-6	-6 Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts		sters, zinc salts	1 - < 2,5 %
	272-238-5		01-2119657973-23	
	Eye Dam. 1, Aquatic Chronic 2; H318 H411			
722503-68-6	Calciumalkarylsulfonat, langkettiges		0,3 - < 1 %	
	682-816-2			
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

Self-protection of the first aider

Immediately remove any contaminated clothing, shoes or stockings. Do not put any product-impregnated cleaning rags into your trouser pockets.

### After inhalation

Provide fresh air. In case of inhalation of aerosols/spray/spray droplets: Consult a physician. Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# After ingestion

Rinse mouth immediately and drink plenty of water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Observe risk of aspiration if vomiting occurs.

according to Regulation (EC) No 1907/2006

# JMC Motorenöl Extra 15W40 20I

Print date: 30.06.2020

Product code: 5583010

Page 3 of 8

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. Foam.

#### Unsuitable extinguishing media

Strong water jet

# 5.2. Special hazards arising from the substance or mixture

Non-flammable. Particular hazard due to substance itself, its combustion products or resulting gases: Carbon dioxide (CO2). Carbon monoxide. Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H2S).

#### 5.3. Advice for firefighters

carbon black In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Special danger of slipping by leaking/spilling product. Wear suitable protective clothing. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Apply skin protection cream for preventive skin protection. Wash hands before breaks and after work. Conditions to avoid: aerosol or mist formation

# Advice on protection against fire and explosion

No special fire protection measures are necessary. When using do not smoke. Fire class: B (DIN-/EN-Norms: EN2)

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep away from heat. Keep/Store only in original container.

#### Hints on joint storage

Do not store together with: Food and feedingstuffs, Oxidizing agent

#### Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater.

# 7.3. Specific end use(s)

according to Regulation (EC) No 1907/2006

# JMC Motorenöl Extra 15W40 20I

Print date: 30.06.2020

Product code: 5583010

Page 4 of 8

Engine oil

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Apply skin protection cream for preventive skin protection. Keep away from food, drink and animal feedingstuffs. Do not breathe vapour.

#### Eye/face protection

In fine dispersion/spraying/misting: Wear eye protection/face protection.

#### Hand protection

Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

In fine dispersion/spraying/misting: Wear protective gloves and protective clothing.

# **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid		
Colour:	brown		
Odour:	characteristic		
			Test method
pH-Value:		not determined	DIN 51369
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		not determined	
Pour point:		~-24 °C	DIN ISO 3016
Flash point:		~235 °C	DIN ISO 2592
Flammability			
Solid:		not applicable	
Gas:		not applicable	
Explosive properties The product is not explosive.			
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Ignition temperature:		not determined	

according to Regulation (EC) No 1907/2006			
JMC Motorenöl Extra 15W40 20I			
Print date: 30.06.2020	Product code: 5583010	Page 5 of 8	
<b>Auto-ignition temperature</b> Solid: Gas:	not applicable not applicable		
Decomposition temperature:	not determined		
Oxidizing properties Not oxidising.			
Vapour pressure: (at 20 °C)	< 0,1 hPa	calculated.	
Density (at 15 °C):	0,88 g/cm³	DIN 51757	
Water solubility: (at 20 °C)	practically insoluble		
Solubility in other solvents Soluble in hydrocarbons. (Mineral oil)			
Partition coefficient:	not determined		
Viscosity / dynamic:	not determined		
Viscosity / kinematic: (at 100 °C)	~14,7 mm²/s	DIN 51562	
Vapour density:	not determined		
Evaporation rate:	not determined		
Solvent separation test:	No data available		
Solvent content:	none		
9.2. Other information			
Odour threshold: not determined			
SECTION 10: Stability and reactivity			

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

No thermal decomposition if stored/handled/transported properly.

(> 65 °C): Gases/vapours, toxic Gases/vapours, combustible (Hydrogen sulphide (H2S))

### 10.3. Possibility of hazardous reactions

Reactions possible with oxidising agents.

# 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

Oxidising agent, strong

# 10.6. Hazardous decomposition products

none

#### Further information

No thermal decomposition if stored/handled/transported properly.

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met. Irritation of the respiratory tract: Do not breathe gas/vapour.

# Irritation and corrosivity

Causes serious eye irritation. Skin corrosion/irritation: Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# JMC Motorenöl Extra 15W40 20I

Print date: 30.06.2020

Product code: 5583010

Page 6 of 8

### Sensitising effects

May cause an allergic skin reaction. (Benzolsulfonsäure, methyl-mono-C20-26-verzweigte Alkylderivate, Calciumsalze; Calciumalkarylsulfonat, langkettiges)

It can be assumed that the finished product is not skin sensitising, due to the very low content of sensitising substances.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Practical experience

# Observations relevant to classification

Has degreasing effect on the skin.

#### Other observations

No special hazards caused by the product are known if it is used as intended and instructions given on precautionary measures are observed.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

# The product is not: Ecotoxic.

# 12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water. Not readily biodegradable (according to OECD criteria). Product is partially biodegradable. Significant residues remain. Waste oils should not be discharged into the sewage system or bodies of water, nor should they be allowed to

seep into soil.

# 12.3. Bioaccumulative potential

The product has not been tested. Do not allow uncontrolled discharge of product into the environment.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

# Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The specified waste codes are recommended due to the intended use of the product. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

#### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

according to Regulation (EC) No 1907/2006

# JMC Motorenöl Extra 15W40 20I

Print date: 30.06.2020

# Product code: 5583010

Page 7 of 8

# List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

## Contaminated packaging

Dispose of this material and its container to hazardous or special waste collection point. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
14.6. Special precautions for user	
No information available.	
14.7. Transport in bulk according to Annex	I of Marpol and the IBC Code
not applicable	
SECTION 15: Regulatory information	
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture
EU regulatory information	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

according to Regulation (EC) No 1907/2006

Print date: 30.06.2020 Product code: 5583010 Page 8 of 8		JMC Motorenöl Extra 15W40 20I	
	Print date: 30.06.2020	Product code: 5583010	Page 8 of 8

Causes allergic hypersensitivity reactions.

Water hazard class (D): Skin resorption/Sensitization:

Ρ

2 - obviously hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%
Relevant H and EUH statements (number and full text) H317 May cause an allergic skin reaction.

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)