

Johannes J. Matthies GmbH & Co. KG

Safety Data Sheet

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JMC Motorenöl Extra 10W40 LL

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer

Johannes J. Matthies GmbH & Co. KG Company name:

Street: Hammerbrookstr. 97 Place: D-20097 Hamburg Telephone: + 49 (0) 40 2 37 21-0 e-mail: info@matthies.de www.matthies.de Internet:

Supplier

Company name: Larsson UK Ltd.

Street: 7 Alpha Court, Phoenix Parkway

Place: GB-NN17 5DP Corby Telephone: + 44 1536 265633 e-mail: info@larsson.uk.com Internet: www.larsson.uk.com + 44 1536 265633

1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains calcium sulfonate (polymer). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Do not allow uncontrolled discharge of product into the environment.

Endocrine disrupting potential < 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 2 of 9

Hazardous components

| CAS No | Chemical name | | | | |
|------------|---|--------------|------------------|--|--|
| | EC No | Index No | REACH No | | |
| | GHS Classification | | | | |
| 64742-54-7 | Mineral oil | 10 - < 20 % | | | |
| | 265-157-1 | 649-467-00-8 | 01-2119484627-25 | | |
| | Asp. Tox. 1; H304 | | | | |
| 64742-55-8 | Base oil, low viscosity | 10 - < 20 % | | | |
| | 265-158-7 649-468-00-3 | | 01-2119487077-29 | | |
| | Asp. Tox. 1; H304 | | | | |
| 68784-31-6 | ZnDTP | 1 - < 2,5 % | | | |
| | 272-238-5 | | 01-2119657973-23 | | |
| | Eye Dam. 1, Aquatic Chronic 2; H318 H411 | | | | |
| | calcium sulfonate (polyn | 0,1 - < 1 % | | | |
| | | | | | |
| | Skin Sens. 1B, Aquatic Chronic 4; H317 H413 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

| Opcomo Gon | positio della Ettitio, in factore and ATE | | | | | |
|------------|--|--|-------------|--|--|--|
| CAS No | EC No | Chemical name | Quantity | | | |
| | Specific Conc. | Specific Conc. Limits, M-factors and ATE | | | | |
| 64742-54-7 | 265-157-1 | Mineral oil | 10 - < 20 % | | | |
| | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg | | | | | |
| 64742-55-8 | 265-158-7 | Base oil, low viscosity | 10 - < 20 % | | | |
| | inhalation: LC5 | 50 = 5 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 | | | | |

Further Information

Hydrocarbons:

Dimethylsulfoxide (DMSO) < 3 % (Regulation (EC) No. 1272/2008 [CLP] - Note L)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Following skin contact: slightly irritant but not relevant for classification.

After eye contact: slightly irritant but not relevant for classification.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 3 of 9

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Water spray jet.

In case of major fire and large quantities: alcohol resistant foam. Water spray jet

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clear spills immediately. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so.

For cleaning up

Take up mechanically. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed. Provide for retaining containers, e.g. floor pan without outflow

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 4 of 9

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, alkalines.

Further information on storage conditions

Keep away from sources of ignition - No smoking.

Protect from direct sunlight.

7.3. Specific end use(s)

Lubricating agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing. Avoid contact with skin, eyes and clothes. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Do not put any product-impregnated cleaning rags into your trouser pockets.

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Wear suitable gloves. (EN ISO 374)
Suitable material: NBR (Nitrile rubber)
Breakthrough time:: >= 480 min

Thickness of the glove material: >= 0,38 mm

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: characteristic
Odour threshold: not determined

pH-Value: not applicable

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Flash point: 234 °C

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 5 of 9

Flammability

Solid/liquid: not determined not determined Lower explosion limits: Upper explosion limits: not determined Auto-ignition temperature: not determined Decomposition temperature: not determined not determined Vapour pressure: 0.86 g/cm³ Density (at 15 °C): Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not applicable

Viscosity / kinematic: 101 mm²/s

(at 40 °C)

Relative vapour density: not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Oxidizing agent, Strong acid, alkalines.

10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (inhalation dust/mist) 25,013 mg/l

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 6 of 9

| CAS No | Chemical name | | | | | | |
|------------|-------------------------------|---------------|--------|---------|--------------|----------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 64742-54-7 | Mineral oil | | | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | Manufacturer | | |
| | dermal | LD50 mg/kg | > 5000 | Rabbit | Manufacturer | | |
| 64742-55-8 | Base oil, low viscosity | | | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | Manufacturer | | |
| | dermal | LD50 mg/kg | > 5000 | Rabbit | Manufacturer | OECD 402 | |
| | inhalation (4 h) dust/mist | LC50 | 5 mg/l | Rat | Manufacturer | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains calcium sulfonate (polymer). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 7 of 9

| CAS No | Chemical name | hemical name | | | | | | |
|------------|--------------------------|---------------|----------|-----------|-----------------------------------|--------------|----------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 64742-54-7 | Mineral oil | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 100 | 96 h | Piscis | Manufacturer | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Algae | Manufacturer | OECD 201 | |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia | Manufacturer | | |
| | Crustacea toxicity | NOEC | 10 mg/l | | Daphnia magna (Big water flea) | Manufacturer | OECD 211 | |
| 64742-55-8 | Base oil, low viscosity | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 100 | 96 h | Piscis | Manufacturer | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Algae | Manufacturer | | |
| | Acute crustacea toxicity | EC50 mg/l | > 10000 | 48 h | Daphnia | Manufacturer | | |
| 68784-31-6 | ZnDTP | | | | | | | |
| | Acute crustacea toxicity | EC50 | 1,2 mg/l | 48 h | Daphnia | Manufacturer | | |

12.2. Persistence and degradability

The substance is not soluble in water.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated

engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 8 of 9

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

according to UK REACH Regulation

JMC Motorenöl Extra 10W40 LL

Revision date: 22.03.2023 Page 9 of 9

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains calcium sulfonate (polymer). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)