

## Safety Data Sheet

according to UK REACH Regulation

### JMC Getriebeöl Extra GL5 85W-90

Revision date: 04.07.2023

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

JMC Getriebeöl Extra GL5 85W-90

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricating agent

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Johannes J. Matthies GmbH & Co. KG  
Street: Hammerbrookstr. 97  
Place: D-20097 Hamburg  
Telephone: + 49 (0) 40 2 37 21-0  
e-mail: info@matthies.de  
Internet: www.matthies.de

#### Supplier

Company name: Larsson UK Ltd.  
Street: 7 Alpha Court, Phoenix Parkway  
Place: GB-NN17 5DP Corby  
Telephone: + 44 1536 265633  
e-mail: info@larsson.uk.com  
Internet: www.larsson.uk.com

### 1.4. Emergency telephone number:

+ 44 1536 265633

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

##### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

##### Precautionary statements

P273 Avoid release to the environment.

##### Special labelling of certain mixtures

EUH208 Contains Amine-Phosphate. May produce an allergic reaction.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting potential none

## SECTION 3: Composition/information on ingredients

**Safety Data Sheet**

according to UK REACH Regulation

**JMC Getriebeöl Extra GL5 85W-90**

Revision date: 04.07.2023

Page 2 of 9

**3.2. Mixtures****Chemical characterization**

Mixtures Mineral oil Additive

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	Amine-Phosphate			1 - < 2,5 %
	931-384-6		01-2119493620-38	
	Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H302 H318 H317 H411			
1213789-63-9	Alkenylamine, long chain			0,25 < 1 %
	627-034-4		01-2119473797-19	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H335 H373 H304 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
	931-384-6	Amine-Phosphate	1 - < 2,5 %
	oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 50 - 100 Eye Irrit. 2; H319: >= 50 - < 50 Skin Sens. 1; H317: >= 9,39 - 100		
1213789-63-9	627-034-4	Alkenylamine, long chain	0,25 < 1 %
	oral: LD50 = 1689 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10		

**Further Information**

IP 346: Dimethylsulfoxide (DMSO)-Extraction &lt; 3 %

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Immediately remove any contaminated clothing, shoes or stockings.

**After inhalation**

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

**After contact with skin**

Wash with plenty of soap and water.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.

**After ingestion**

Rinse mouth thoroughly with water.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes skin and eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

When in doubt or if symptoms are observed, get medical advice.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Water spray jet

In case of major fire and large quantities: alcohol resistant foam, Water spray jet/Water with tenside additive

# Safety Data Sheet

according to UK REACH Regulation

## JMC Getriebeöl Extra GL5 85W-90

Revision date: 04.07.2023

Page 3 of 9

### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>), Carbon monoxide, Gases/vapours, harmful,

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Special danger of slipping by leaking/spilling product.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Use non-sparking tools.

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid: aerosol or mist formation. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Usual measures for fire prevention.

#### Further information on handling

Do not put any product-impregnated cleaning rags into your trouser pockets.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Strong acid, Strong alkali, Oxidising agent, strong

**Safety Data Sheet**

according to UK REACH Regulation

**JMC Getriebeöl Extra GL5 85W-90**

Revision date: 04.07.2023

Page 4 of 9

Keep away from food, drink and animal feedingstuffs.

**Further information on storage conditions**

Protect against: Heat, UV-radiation/sunlight

**7.3. Specific end use(s)**

Lubricating agent

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

Base oil, low viscosity - alveolar fraction MAK 5 mg/m<sup>3</sup> DFG (2021)

**8.2. Exposure controls****Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

**Protective and hygiene measures**

Take off immediately all contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Protect skin by using skin protective cream. When using do not eat, drink, smoke, sniff.

**Eye/face protection**

In fine dispersion/spraying/misting: Wear eye/face protection.

**Hand protection**

Wear suitable gloves.

Suitable material: NBR (Nitrile rubber)

Breakthrough time: > 480 min

Thickness of the glove material: >= 0,38 mm

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

**Environmental exposure controls**

Avoid release to the environment.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	brown	
Odour:	characteristic	
Odour threshold:	not determined	
pH-Value:		not applicable

**Changes in the physical state**

**Safety Data Sheet**

according to UK REACH Regulation

**JMC Getriebeöl Extra GL5 85W-90**

Revision date: 04.07.2023

Page 5 of 9

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flash point:	210 °C
<b>Flammability</b>	
Solid/liquid:	@0202.B020243 °C
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
Vapour pressure:	not determined
Density (at 15 °C):	0,9 g/cm <sup>3</sup>
Water solubility:	practically insoluble
<b>Solubility in other solvents</b>	
not determined	
Partition coefficient n-octanol/water:	not determined
Viscosity / kinematic: (at 40 °C)	185 mm <sup>2</sup> /s
Relative vapour density:	not determined

**9.2. Other information**

No information available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Heat, UV-radiation/sunlight Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**10.5. Incompatible materials**

Strong acid, Strong alkali, Oxidising agent, strong

**10.6. Hazardous decomposition products**In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>), Carbon monoxide, Gases/vapours, harmful,**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

Acute toxicity (oral) ATEmix: (Mixtures estimated) 30,892 mg/kg

**ATEmix calculated**

ATE (oral) 20080,3 mg/kg

**Safety Data Sheet**

according to UK REACH Regulation

**JMC Getriebeöl Extra GL5 85W-90**

Revision date: 04.07.2023

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Amine-Phosphate				
	oral	ATE mg/kg	500		
1213789-63-9	Alkenylamine, long chain				
	oral	LD50 mg/kg	1689	Rat	Manufacturer OECD 401

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Contains Amine-Phosphate. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**SECTION 12: Ecological information****12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
	Amine-Phosphate					
	Acute fish toxicity	LC50	24 mg/l	96 h	Piscis	Manufacturer
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Algae	Manufacturer
	Acute crustacea toxicity	EC50 mg/l	91,4	48 h	Daphnia	Manufacturer
	Crustacea toxicity	NOEC mg/l	0,12	21 d	Daphnia	Manufacturer
1213789-63-9	Alkenylamine, long chain					
	Acute fish toxicity	LC50 mg/l	0,06	96 h	Piscis	Manufacturer
	Acute algae toxicity	ErC50 mg/l	0,04	72 h	Algae	Manufacturer
	Acute crustacea toxicity	EC50 mg/l	0,011	48 h	Daphnia	Manufacturer
	Crustacea toxicity	NOEC mg/l	0,013	21 d	Daphnia	Manufacturer

**12.2. Persistence and degradability**

The product has not been tested.

**Safety Data Sheet**

according to UK REACH Regulation

**JMC Getriebeöl Extra GL5 85W-90**

Revision date: 04.07.2023

Page 7 of 9

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Amine-Phosphate			
	OECD 301B	7,4	28	Manufacturer
1213789-63-9	Alkenylamine, long chain			
	OECD 301B	66 %	28	

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Water hazard class: hazardous to water (WGK 2)

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**List of Wastes Code - residues/unused products**

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

**List of Wastes Code - used product**

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to UK REACH Regulation

**JMC Getriebeöl Extra GL5 85W-90**

Revision date: 04.07.2023

Page 8 of 9

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**Marine transport (IMDG)****14.1. UN number:** No dangerous good in sense of this transport regulation.**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.  
Segregation group: 8 - hypochlorites**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number:** No dangerous good in sense of this transport regulation.**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No information available.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**Additional information**

Observe in addition any national regulations!

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

M-Factor: Multiplication Factor

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

**Safety Data Sheet**

according to UK REACH Regulation

**JMC Getriebeöl Extra GL5 85W-90**

Revision date: 04.07.2023

Page 9 of 9

EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 TI: Technical Instructions  
 DGR: Dangerous Goods Regulations  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 EG or EC: European Community  
 IE: Industrial Emissions  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Amine-Phosphate. May produce an allergic reaction.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*