

Johannes J. Matthies GmbH & Co. KG

Safety Data Sheet

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JMC Getriebeöl Extra GL5 75W-90 SYN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricating agent

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Johannes J. Matthies GmbH & Co. KG

Street: Hammerbrookstr. 97
Place: D-20097 Hamburg
Telephone: + 49 (0) 40 2 37 21-0
e-mail: info@matthies.de
Internet: www.matthies.de

Supplier

Company name: Larsson UK Ltd.

Street: 7 Alpha Court, Phoenix Parkway

Place: GB-NN17 5DP Corby
Telephone: + 44 1536 265633
e-mail: info@larsson.uk.com
Internet: www.larsson.uk.com

1.4. Emergency telephone + 44 1536 265633

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains Dithiophosphoracid-derivate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting potential none

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures synthetic engine, gear and lubricating oils Additive

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 2 of 10

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
64742-54-7	Base oil, low viscosity				
	265-157-1	649-467-00-8	01-2119484627-25		
	Asp. Tox. 1; H304				
68937-96-2	organ. Polysulphide		1 - < 4,59 %		
	273-103-3		01-2119540515-43		
	Skin Sens. 1B, Aquatic Chronic 3; I				
	Dithiophosphoracid-derivate			1 - < 2,5 %	
	931-384-6		01-2119493620-38		
	Acute Tox. 4, Eye Irrit. 2, Skin Sens. 1B, Aquatic Chronic 2; H302 H319 H317 H411				
13703-82-7	Magnesium metaborate			0,1 - < 1 %	
	237-235-5		01-2120769073-53		
	Skin Sens. 1B; H317				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. I	Limits, M-factors and ATE		
64742-54-7	265-157-1	Base oil, low viscosity	1 < 10 %	
	dermal: LD50 =	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		
68937-96-2	273-103-3	organ. Polysulphide	1 - < 4,59 %	
	oral: LD50 = 65	500 mg/kg Skin Sens. 1B; H317: >= 46 - 100		
	931-384-6	Dithiophosphoracid-derivate	1 - < 2,5 %	
	oral: ATE = 500	0 mg/kg Eye Irrit. 2; H319: >= 50 - 100 Skin Sens. 1B; H317: >= 9,39 - 100		
13703-82-7	237-235-5	Magnesium metaborate	0,1 - < 1 %	
	Skin Sens. 1B; H317: >= 15 - 100			

Further Information

IP 346: Dimethylsulfoxide (DMSO)-Extraction < 3 %

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Immediately remove any contaminated clothing, shoes or stockings.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash with plenty of soap and water.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

Causes skin and eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

When in doubt or if symptoms are observed, get medical advice.

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 3 of 10

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2)., Extinguishing powder, Water spray jet

In case of major fire and large quantities: alcohol resistant foam, Water spray jet/Water with tenside additive

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide, Gases/vapours, harmful,

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Use non-sparking tools.

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid: aerosol or mist formation. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Usual measures for fire prevention.

Further information on handling

Do not put any product-impregnated cleaning rags into your trouser pockets.

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 4 of 10

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Strong acid, Strong alkali, Oxidising agent, strong Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect against: Heat, UV-radiation/sunlight

7.3. Specific end use(s)

Lubricating agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off immediately all contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Protect skin by using skin protective cream. When using do not eat, drink, smoke, sniff.

Eye/face protection

In fine dispersion/spraying/misting: Wear eye/face protection.

Hand protection

Wear suitable gloves.

Suitable material: NBR (Nitrile rubber)
Breakthrough time:: > 480 min

Thickness of the glove material: >= 0,38 mm

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: dark yellow

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 5 of 10

Odour: characteristic
Odour threshold: not determined

pH-Value: not applicable

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Flash point: 202 °C

Flammability

Solid/liquid: @0202.B020243 °C not determined Lower explosion limits: Upper explosion limits: not determined not determined Auto-ignition temperature: not determined Decomposition temperature: Vapour pressure: not determined Density (at 15 °C): 0.86 a/cm³ Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Viscosity / kinematic: 119 mm²/s

(at 40 °C)

Relative vapour density: not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat, UV-radiation/sunlight Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong acid, Strong alkali, Oxidising agent, strong

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide, Gases/vapours, harmful,

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met. Acute toxicity (oral) ATEmix: (Mixtures estimated) 26,315 mg/kg

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 6 of 10

ATEmix calculated

ATE (oral) 20080,3 mg/kg

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Base oil, low viscosity	Base oil, low viscosity				
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer	OECD 423
	dermal	LD50 mg/kg	> 5000	Rabbit	Manufacturer	OECD 402
68937-96-2	organ. Polysulphide					
	oral	LD50 mg/kg	6500	Rat	Manufacturer	
	Dithiophosphoracid-derivate					
	oral	ATE mg/kg	500			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Dithiophosphoracid-derivate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 7 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-54-7	Base oil, low viscosity						
	Acute fish toxicity	LC50 mg/l	> 101	96 h	Piscis	Manufacturer	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 101	72 h	Algae	Manufacturer	
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia	Manufacturer	OECD 202
68937-96-2	organ. Polysulphide						
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Algae	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50	63 mg/l	48 h	Daphnia	Manufacturer	OECD 202
	Dithiophosphoracid-derivate						
	Acute fish toxicity	LC50	8,5 mg/l	96 h	Piscis	Manufacturer	
	Acute algae toxicity	ErC50	1,7 mg/l	96 h	Algae	Manufacturer	
	Acute crustacea toxicity	EC50 mg/l	91,4	48 h	Daphnia	Manufacturer	

12.2. Persistence and degradability

The product has not been tested.

е						
CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	-	-	-		
68937-96-2	6-2 organ. Polysulphide					
	OECD 301B	13 %	28	Manufacturer		
	Not readily biodegradable (according to OECD criteria)					
	Dithiophosphoracid-derivate					
	OECD 301B	7,4	28	Manufacturer		
	Not readily biodegradable (according to OECD criteria)					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-54-7	Base oil, low viscosity	> 4

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Water hazard class: hazardous to water (WGK 2)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 8 of 10

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Segregation group:	8 - hypochlorites

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 9 of 10

Restrictions on use (REACH, annex XVII):

Entry 28

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
M-Factor: Multiplication Factor
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

TI: Technical Instructions

DGR: Dangerous Goods Regulations

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds EG or EC: European Community

IE: Industrial Emissions

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

according to UK REACH Regulation

JMC Getriebeöl Extra GL5 75W-90 SYN

Revision date: 04.07.2023 Page 10 of 10

H304	May be fatal	if swallowed and	enters airways.
------	--------------	------------------	-----------------

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Dithiophosphoracid-derivate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)