

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JMC Bremsflüssigkeit DOT4 SL6

UFI: UQ10-Y3PR-YH0X-59WG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

brake fluids

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Johannes J. Matthies GmbH & Co. KG
Street: Hammerbrookstr. 97
Place: D-20097 Hamburg
Telephone: + 49 (0) 40 2 37 21-0
e-mail: info@matthies.de
Internet: www.matthies.de

Supplier

Company name: Larsson UK Ltd.
Street: 7 Alpha Court, Phoenix Parkway
Place: GB-NN17 5DP Corby
Telephone: + 44 1536 265633
e-mail: info@larsson.uk.com
Internet: www.larsson.uk.com

1.4. Emergency telephone number:

+ 44 1536 265633

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Repr. 2; H361d

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate

Signal word: Warning

Pictograms:



Hazard statements

H361fd

Suspected of damaging fertility. Suspected of damaging the unborn child.

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 2 of 12

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208	Contains Dihydro-3-(tetrapropenyl)furan-2,5-dione. May produce an allergic reaction.
--------	--

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	GHS Classification	
30989-05-0	Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate	55 - < 60 %
	250-418-4	01-2119462824-33
	Repr. 2; H361d	
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol	10 - < 15 %
	205-592-6	603-183-00-0
	01-2119475107-38	
	Eye Dam. 1; H318	
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	1 - < 5 %
	203-906-6	603-107-00-6
	01-2119475100-52	
	Repr. 1B; H360D	
26544-38-7	Dihydro-3-(tetrapropenyl)furan-2,5-dione	< 0.1 %
	247-781-6	01-2119979080-37
	Eye Irrit. 2, Skin Sens. 1A, Aquatic Chronic 4; H319 H317 H413	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
30989-05-0	250-418-4	Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate	55 - < 60 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
143-22-6	205-592-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol	10 - < 15 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5300 mg/kg Eye Dam. 1; H318: >= 30 - 100 Eye Irrit. 2; H319: >= 20 - < 30	
111-77-3	203-906-6	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	1 - < 5 %
		dermal: LD50 = 9404 mg/kg; oral: LD50 = 7128 mg/kg Repr. 1B; H360D: >= 3 - 100	
26544-38-7	247-781-6	Dihydro-3-(tetrapropenyl)furan-2,5-dione	< 0.1 %
		dermal: LD50 = 6200 - 7500 mg/kg; oral: LD50 = 2900 mg/kg	

SECTION 4: First aid measures**4.1. Description of first aid measures**

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 3 of 12

General information

Remove affected person from the danger area and lay down. When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Wash with plenty of soap and water.

The product is not: Irritant — skin irritation and eye damage (dermal).

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Extinguishing powder. Water spray jet. Carbon dioxide.

In case of major fire and large quantities: Water spray jet, alcohol resistant foam.

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, BOx, Pyrolysis products, toxic.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Treat the recovered material as prescribed in the section on waste disposal.

6.3. Methods and material for containment and cleaning up

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 4 of 12

For containment

Stop leak if safe to do so.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation. Vapours/aerosols must be exhausted directly at the point of origin. Use personal protection equipment.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep/Store only in original container. Keep container tightly closed.

Hints on joint storage

Do not store together with: Oxidizing agent., Alkali (lye). Acids.

Further information on storage conditions

Store in a cool dry place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. Protect from direct sunlight.

7.3. Specific end use(s)

brake fluids

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-77-3	2-(2-Methoxyethoxy)ethanol	10	50.1		TWA (8 h)	WEL

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 5 of 12

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol			
Consumer DNEL, long-term		oral	systemic	12,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	125 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	208 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	117 mg/m ³
Worker DNEL, long-term		inhalation	systemic	195 mg/m ³
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether			
Consumer DNEL, long-term		oral	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,27 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	0,53 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	25 mg/m ³
Worker DNEL, long-term		inhalation	systemic	50,1 mg/m ³

PNEC values

CAS No	Substance	Value
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol	
Freshwater		1,5 mg/l
Freshwater (intermittent releases)		5 mg/l
Marine water		0,58 mg/l
Freshwater sediment		5,77 mg/kg
Marine sediment		0,13 mg/kg
Micro-organisms in sewage treatment plants (STP)		200 mg/l
Soil		0,35 mg/kg
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	
Freshwater		12 mg/l
Freshwater (intermittent releases)		12 mg/l
Marine water		1,2 mg/l
Freshwater sediment		44,4 mg/kg
Marine sediment		4,44 mg/kg
Micro-organisms in sewage treatment plants (STP)		10000 mg/l
Soil		2,44 mg/kg

8.2. Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Avoid contact with eyes and skin. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 6 of 12

Do not breathe gas/fumes/vapour/spray.

Eye/face protection

Wear eye/face protection. (DIN EN 166)

Hand protection

Wear suitable gloves. (EN ISO 374)

Suitable material: NBR (Nitrile rubber)

Breakthrough time:: 480 min

Thickness of the glove material: > 0,3 mm

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation, exceeding exposure limit values.(EN 140/ 136)

Filtering device with filter or ventilator filtering device of type: A (DIN EN 141)

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	not determined
Odour:	not determined
Odour threshold:	not determined
pH-Value (at 20 °C):	7 - 10,5
Changes in the physical state	
Melting point/freezing point:	< -50 °C
Boiling point or initial boiling point and boiling range:	> 260 °C
Flash point:	not determined
Flammability	
Solid/liquid:	not applicable
Explosive properties	
The product is not: Explosive.	
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
Oxidizing properties	
Not oxidising.	
Vapour pressure:	not determined
Density (at 20 °C):	1,02 - 1,09 g/cm ³
Water solubility:	completely miscible

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 7 of 12

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

not determined

Viscosity / dynamic:

not determined

Viscosity / kinematic:
(at 20 °C)15 mm²/s

Relative vapour density:

not determined

Evaporation rate:

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect from direct sunlight. Keep away from heat.

10.5. Incompatible materials

Oxidizing agent., Alkali (lye). Acids.

10.6. Hazardous decomposition productsIn case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, BO_x, Pyrolysis products, toxic.**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicokinetics, metabolism and distribution**

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 8 of 12

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
30989-05-0	Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate				
	oral	LD50 > 2000 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 > 2000 mg/kg	Rat	Manufacturer	OECD 402
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol				
	oral	LD50 5300 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 > 2000 mg/kg	Rabbit	Manufacturer	OECD 402
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether				
	oral	LD50 7128 mg/kg	Mouse	Manufacturer	OECD 401
	dermal	LD50 9404 mg/kg	Rabbit	Manufacturer	OECD 402
26544-38-7	Dihydro-3-(tetrapropenyl)furan-2,5-dione				
	oral	LD50 2900 mg/kg	Rat	Manufacturer	
	dermal	LD50 6200 - 7500 mg/kg	Rabbit	Manufacturer	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Dihydro-3-(tetrapropenyl)furan-2,5-dione. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging the unborn child. (Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Other information**

No information available.

SECTION 12: Ecological information**12.1. Toxicity**

The product is not: Ecotoxic.

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 9 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
30989-05-0	Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate					
	Acute fish toxicity	LC50 > 222,2 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 203
	Acute algae toxicity	ErC50 > 224,4 mg/l	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 > 211,2 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol					
	Acute fish toxicity	LC50 > 2400 mg/l	96 h	Pimephales promelas (fathead minnow)	Manufacturer	
	Acute crustacea toxicity	EC50 > 500 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer	
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether					
	Acute fish toxicity	LC50 7500 mg/l	96 h	Lepomis macrochirus	Manufacturer	
	Acute crustacea toxicity	EC50 > 500 mg/l	48 h	Daphnia magna	Manufacturer	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
26544-38-7	Dihydro-3-(tetrapropenyl)furan-2,5-dione			
	OECD 301D	9,9 %	28	Manufacturer
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
30989-05-0	Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate	-4,37
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol	0,51
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	-0,682
26544-38-7	Dihydro-3-(tetrapropenyl)furan-2,5-dione	>= 4,39

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No information available.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains.

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 10 of 12

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

Recommended material: Water (with cleaning agent)

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 54, Entry 75

2010/75/EU (VOC): < 70 %

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 11 of 12

Information according to 2012/18/EU
(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

2011/65/EU: Ingredient: none.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Repr. 2; H361d	Calculation method

Safety Data Sheet

according to UK REACH Regulation

JMC Bremsflüssigkeit DOT4 SL6

Revision date: 11.10.2023

Page 12 of 12

Relevant H and EUH statements (number and full text)

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360D	May damage the unborn child.
H361d	Suspected of damaging the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains Dihydro-3-(tetrapropenyl)furan-2,5-dione. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)