

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: OEM TWIN AIR DIRT BIO REMOVER
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Only for proper handling. Cleaning material/ Detergent

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

- · Further information obtainable from: msds@motorex.com
- 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Anionic surfactant disodium metasilicate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

(Contd. on page 2)

Trade name: OEM TWIN AIR DIRT BIO REMOVER

(Contd. of page 1)

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
EC number: 932-051-8 Reg.nr.: 01-2119565112-48- 0000	Anionic surfactant Eye Dam. 1, H318; Skin Irrit. 2, H315	10%
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2	sodium carbonate Eye Irrit. 2, H319	10%
CAS: 28348-53-0 EINECS: 248-983-7 Reg.nr.: 01-2120759186-46	sodium cumenesulphonate Eye Irrit. 2, H319	10%
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8	disodium metasilicate Skin Corr. 1B, H314; STOT SE 3, H335	≥2.5-<5%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
phosphates	≥15 - <30%	
anionic surfactants	≥5 - <15%	
non-ionic surfactants	<5%	
perfumes		

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Thorough dedusting.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 11
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
Anionic s	urfactant	
Oral	DNEL/general population/Systemic effects/Long-term	0.425 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	85 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	42.5 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	6 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	1.5 mg/m3 (consumer)
497-19-8	sodium carbonate	
Inhalative	DNEL / Workers / Local Effects / Long-term	10 mg/m3 (worker)
	DNEL/general population/Local effects/Long-term	10 mg/m3 (consumer)
28348-53-	0 sodium cumenesulphonate	
Oral	DNEL/general population/Systemic effects/Long-term	1.14 mg/kg/24h (consumer)
	DNEL/general pop/Systemic effects/acute-short term	70 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Local Effects / Long-term	4.49 mg/cm2 (worker)
	DNEL / Workers / Systemic effects / Long-term	32 mg/kg/24h (worker)
	DNEL/Workers/Systemic effects/acute-short term	20 mg/kg/24h (worker)

(Contd. on page 4)

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

			(Contd. of page 3)	
	DNEL/general population/Systemic effects/Lo	ong-term	16 mg/kg/24h (consumer)	
	DNEL/general pop/Systemic effects/acute-sh	40 mg/kg/24h (consumer)		
	DNEL/general population/Local effects/Long-term		0.45 mg/cm2 (consumer)	
Inhalative	DNEL / Workers / Systemic effects / Long-tei	rm	4.02 mg/m3 (worker)	
	DNEL/Workers/Systemic effects/acute-short	term	770 mg/m3 (worker)	
	DNEL/Workers/Local effects/acute-short term	n	770 mg/m3 (worker)	
	DNEL / Workers / Local Effects / Long-term		4.02 mg/m3 (worker)	
	DNEL/general population/Systemic effects/Lo	ong-term	1.98 mg/m3 (consumer)	
	DNEL/general pop/Systemic effects/acute-sh	ort term	770 mg/m3 (consumer)	
	DNEL/general pop/Local effects/acute-short	term	770 mg/m3 (consumer)	
	DNEL/general population/Local effects/Long-	term	1.98 mg/m3 (consumer)	
6834-92-0	disodium metasilicate			
Oral	DNEL/general population/Systemic effects/Lo	ong-term	0.74 mg/kg/24h (consumer)	
Dermal	DNEL / Workers / Systemic effects / Long-ter	rm	1.49 mg/kg/24h (worker)	
	DNEL/general population/Systemic effects/Lo	ong-term	0.74 mg/kg/24h (consumer)	
Inhalative	DNEL / Workers / Systemic effects / Long-tel	rm	6.22 mg/m3 (worker)	
	DNEL/general population/Systemic effects/Long-term 1.55 mg/m3 (consumer)			
· PNECs				
Anionic s	urfactant			
PNEC / Ac	quatic organisms / Freshwater	0.268 m	g/l (aquatic organisms)	
PNEC / Ac	quatic organisms / Marine water	0.0268 n	ng/l (aquatic organisms)	
PNEC/Aqu	uatic org/intermittent releases(freshwater)	0.055 mg/l (aquatic organisms)		
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	5.6 mg/l	(aquatic organisms)	
PNEC / Ac	quatic organisms / Sediment (freshwater)	8.1 mg/k	rg (aquatic organisms)	
<u> </u>	quatic organisms / Sediment (marine water)	8.1 mg/kg (aquatic organisms)		
	errestrial organism / Soil	35 mg/k	g (terrestrial organisms)	
	0 sodium cumenesulphonate			
1	PNEC / Aquatic organisms / Freshwater		/I (aquatic organisms)	
	PNEC / Aquatic organisms / Marine water		g/l (aquatic organisms)	
-	, , , , , , , , , , , , , , , , , , , ,		(aquatic organisms)	
			(aquatic organisms)	
	· · · · · · · · · · · · · · · · · · ·		0.89 mg/kg (aquatic organisms)	
	PNEC / Aquatic organisms / Sediment (marine water) 0.089 mg/kg (aquatic organisms)			
	6834-92-0 disodium metasilicate			
	PNEC / Aquatic organisms / Freshwater		7.5 mg/l (aquatic organisms)	
	PNEC / Aquatic organisms / Marine water		1 mg/l (aquatic organisms)	
1	PNEC/Aquatic organisms/Sewage treatment plant/STP 1,000 mg/l (aquatic organisms)			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

(Contd. on page 5)

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

(Contd. of page 4)

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



safety goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and c	hemical properties
· Appearance:	
Form: Colour:	Powder White
· Odour:	typical, characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	9.8 (DIN 51369) 9.5 (10g/l H2O) (DIN 51369)
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C: · Relative density · Vapour density	0.8 g/cm³ (ASTM D 4052) Not determined. Not applicable.
	(Contd. on page 6

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

	(Contd. of page
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Soluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

Anionic s	urfactant		
Oral	LD50	2,240 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rat)	
	NOAEL	440 mg/kg/24h (mouse)	
497-19-8	sodium ca	rbonate	
Oral	LD50	2,800 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
Inhalative	LC50 / 2h	2.3 mg/l (rat)	
28348-53-	0 sodium	cumenesulphonate	
Oral	LD50	7,000 mg/kg (rat)	
	NOAEL	114-3,534 mg/kg/24h (rat)	
	LOAEL	4,092 mg/kg/24h (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
	NOAEL	2,000 mg/kg/24h (mouse)	
		800-1,030 mg/kg/24h (rat)	
Inhalative	LC50 / 4h	770 mg/l (rat)	
6834-92-0	disodium	metasilicate	
Oral	LD50	662-1,009 mg/kg (mouse)	
		995-1,530 mg/kg (rat)	
	NOAEL	260-284 mg/kg/24h (mouse)	
		227-237 mg/kg/24h (rat)	
	LOAEL	716-892 mg/kg/24h (mouse)	
Dermal	LD50	5,000 mg/kg (rat)	

-GB

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

(Contd. of page 6)

Inhalative LC50 / 4h 2.06 mg/l (rat)

- · Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

	c toxicity:	
	c surfactant	
LC50	3.94 mg/l/96h (aquatic invertebrates)	
LC0	4.1 mg/l/96h (fish)	
	7.5 mg/l/96h (fish)	
	1.67 mg/l/21d (aquatic invertebrates)	
EC50	8.8 mg/l/24h (aquatic invertebrates)	
EC10	5.6-8.4 mg/l/72h (algae / cyanobacteria)	
EC50	25-72 mg/l/72h (algae / cyanobacteria)	
EC50	1.5-2.31 mg/l/21d (aquatic invertebrates)	
EC100	12.5 mg/l/48h (aquatic invertebrates)	
EC0	6.3 mg/l/48h (aquatic invertebrates)	
EC50	8.8 mg/l/48h (aquatic invertebrates)	
NOEC	1.18 mg/l/21d (aquatic invertebrates)	
NOEC	1.5 mg/l/72h (algae / cyanobacteria)	
497-19-	8 sodium carbonate	
LC50	300 mg/l/96h (fish)	
EC50	200-227 mg/l/48h (aquatic invertebrates)	
28348-	53-0 sodium cumenesulphonate	
LC50	450-70,241 mg/l/96h (fish)	
LC50	27,334 mg/l/48h (aquatic invertebrates)	
LC50	0.8903 g/kg/14d (sediment)	
	0.8903 g/kg/14d (terrestr. macroorganisms (- arthropods))	
EC10	560 mg/l (fish)	
	3,200 mg/l (microorganisms)	
EC10	1,954 mg/kg (terrestrial plants)	
	178.07 mg/kg (terrestr. macroorganisms (- arthropods))	
EC50	230-10,603.5 mg/l/96h (algae / cyanobacteria)	
EC50	1,000 mg/l/72h (algae / cyanobacteria)	
EC50	154 mg/l/21d (aquatic invertebrates)	

<u> —</u> G

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

	(Contd. of page 7)	
EC50	450-1,000 mg/l/48h (aquatic invertebrates)	
	16,000 mg/l/48h (microorganisms)	
EC50	10,604 mg/kg (terrestrial plants)	
	890.3 mg/kg (terrestr. macroorganisms (- arthropods))	
NOEC	30 mg/l/21d (aquatic invertebrates)	
NOEC	31 mg/l/96h (algae / cyanobacteria)	
	560 mg/l/96h (fish)	
6834-9	2-0 disodium metasilicate	
LC50	210-2,320 mg/l/96h (fish)	
LC0	180 mg/l/96h (fish)	
LC100	LC100 250 mg/l/96h (fish)	
EC50	EC50 100 mg/l/72h (microorganisms)	
EC100	00 10,000 mg/l/48h (aquatic invertebrates)	
EC0	100 mg/l/48h (aquatic invertebrates)	
EC50	1,700 mg/l/48h (aquatic invertebrates)	

12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential			
Anionic surfactant			
Partition coefficient 0.7 [] (log Kow) (Bioaccumulation)			
Biodegradability 94 % (28d) (Biodegradability) (EU Method C.4-A)			
28348-53-0 sodium cumenesulphonate			
Bioconcentration factor (BCF) 3.16 BCF (Bioaccumulation)			

- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR/RID/ADN, ADN, IMDG, IATA Void

(Contd. on page 9)

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

		(Contd. of page 8)
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ani of Marpol and the IBC Code	nex II Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- Relevant phrases
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- · Department issuing SDS: Abteilung Produktsicherheit
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 10)

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

(Contd. of page 9)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of cleaning agents
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category
- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC10 Roller application or brushing
- PROC11 Non industrial spraying
- PROC13 Treatment of articles by dipping and pouring
- PROC15 Use as laboratory reagent
- · Environmental release category
- ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- Environmental protection measures
- Air No special measures required.
- · Water No special measures required.
- Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

- · Short title of the exposure scenario Professional use of cleaning agents
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

(Contd. on page 11)

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

(Contd. of page 10)

- · **Product category** PC35 Washing and cleaning products (including solvent based products)
- · Process category
- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC10 Roller application or brushing
- PROC11 Non industrial spraying
- PROC13 Treatment of articles by dipping and pouring
- PROC15 Use as laboratory reagent
- · Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of cleaning agents
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC35 Washing and cleaning products (including solvent based products)
- Process category
- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC10 Roller application or brushing
- PROC11 Non industrial spraying
- PROC13 Treatment of articles by dipping and pouring

(Contd. on page 12)

Printing date 06.09.2021 Version number 3.2 Revision: 06.09.2021

Trade name: OEM TWIN AIR DIRT BIO REMOVER

(Contd. of page 11)

Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- Water No special measures required.
- Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

- GF